



**TH1280**

**Product Specification:**

Brightness:	2800 lumens
Contrast:	20,000/1
Native Resolution:	1280x800 ,Support 1080I ,1080P
Andriod Operating system:	Android 4.4
Display Technology:	DLP
Light Source:	OSRAM R/G/B 3LED



1



**Product Description**

Customer FAQ

You may also like

■ Product Description

TH1280 Projector is a short throw 1080p Projector,overhead projector,Laser & LED Projector,DLP projector,Multimedia Projector. 3LED light source with its extremely long lifetime of 30,000 hours and low power consumption realizes exceptional cost performance compared with conventional mercury lamp projectors through savings on expenditures for lamp replacement and the associated labor and lost operating time as well as for electric power.

Model: TH1280		
Specification		
	Native Resolution	1280x800 ,Support 1080I ,1080P
	Display Technology	DLP
	Contrast	20,000/1
	Light Source	OSRAM R/G/B 3LED
	Light Source Lifetime	30,000Hours
	Brightness(Max)	2800 lumens
	Light uniformity	90%
	Andriod Operating system	Android 4.4
	Bluetooth	Built in bluetooth 4.0
	CPU	Quad-core, ARM Cortex A7,1.5GHz Frequency
	GPU	Mail-450MP2
	TF card	Support up to 32GB capacity ,support format FAT, FAT16, FAT32, NTFS;
	Wifi	802.11a/b/g/n (Dual-frequency technology)
	DDR	1GB DDR3
	Flash	8GB
	Internet	Support 10-100M RJ45 port
Support Video decoding category	H.264, VC-1, MPEG1,MPEG2,MPEG4,Divx,Xvid, FLV,RM/RMVB	
Support Video Format	Mkv, ts, m2ts, mts, tp, wmv, ifo, iso, vob, dat, avi, mpg, mp4,mov, rm, rmvb, divx, xvid, flv	
Support Audio Format	MP3, WMA,MIDI,WAV,OGG, AAC, LPCM, FLAC,DTS, AC3	
Support Picture Format	JPG/JPEG, BMP, PNG,TIFF, GIF	



Support Explorer Format	Movie/Music/Picture/PPT/PDF/EXCEL/WORD Etc
Support Subtitles Format	Sub, smi, ssa, srt, idx + sub
USB3.0 USB2.0 HOST Read Load	USB3.0 & USB2.0 interface can read U disk, and usb mobile hard disk
Support External Storage Devices System Partition Format	EXT3,FAT32 and NTFS
Wireless screen mirroring Function	MIRCAST/DLNA/AirPlay
Support wireless WIFI	Built in wireless WIFI (2.4/5.8G dual band WiFi)
Other Internet Function	Support PPPoE,VPN,Portable WIFI hot spots(As wireless router)
Patent Optical Engine	Full Sealed & Dustproof
Optical Engine Material	All-alloy (3D Printing Precision Optical Engine)
Projection Lens	F#1.6,Zoom 1.0-1.1
Throw Ratio	1.9~2.3
Electronic Keystone Correction	+/-40°
Audio in (Stereo Line Input)	Yes
Audio out (Stereophone)	Yes
Built-in Speaker X2	4 Watts X 2
Multimedia Interface	USB 3.0X 1; USB 2.0 X 1; HDMI X 2; Micro SD Card X 1; VGA X 1; Video X 1; RG45 X 1; Audio-out, Audio-in
Built-in Media Player	Yes
Native 3D	Active Shutter 3D
Video Compatibility	NTSC, PAL, SECAM,etc.
Video Compatibility	480p/575i/480i/720p/1080i/1080p
Screen Mode	16:10(Default) /4:3/16:9
Projection Ways	Front / Desk /Rear / Ceiling Mounted
Unit Size(LxWxH)	250*170*52mm (Excluding feet)
Net Weight	1.5KGS
Noise	30DB
Adapter Input Voltage	AC90-264, 48-63Hz
Adapter Output Power	DC 19V / 8A
Projector Power Consumption	150Watts(Max)
Working Temp	-10° ~40°
Universal Battery System	The Projector Can be Battery Powered (Like Mobile Power)
Remote Control :	Yes
Support Language :23 types	Chinese/English/Finland/Slovakia/Denmark/Spain/Croatia /German/Hungary/Portugal/Poland/Slovenia/Norway/Russian /Serbia/Sweden/French/Romania/Netherlands/Greece/Czech /Italy/Bulgaria
Qualified by	FCC,CE,ROHS,CCC
Accessories (Standard)	Carry bag ,Power Cord (by region) ,Adapter, Remote Control,User Manual

16:10 Screen Diagnol Length	Distance between Projector and Screen (Max/Min)
50 inch	1.55m/1.41 m
60 inch	1.87m/1.7 m
70 inch	2.19m/1.99 m
80 inch	2.5m/2.28 m
100 inch	3.15m/2.86 m
120 inch	3.78m/3.43 m
150 inch	4.74m/4.3 m

200inch

6.33m/5.75m

**■ Inquiry**

Feel free to ask questions about this product here.

We will answer your questions quickly~

Name

Tel (with country code)

Your email \*

Details \*

[Send >](#)

## Product Category

[Education](#)[Business](#)[Home Theater](#)[Accessories](#)

## Hot Products

[TH1280](#)[TH1280](#)[MN800](#)[LS1300](#)

## Links

[Products](#)[Faq](#)[About us](#)[Contact](#)

We Are Here...



BRILENS™

COPYRIGHT 2014 BRILENS TECHNOLOGY CO.,LTD. SITE INDEX PRODUCT INDEX TECHNICAL SUPPORT: COVERWEB 

The LiveWeb service on your web site is overdue now. Please notify the web administrator to delete the LiveReception code in the web pages.